



## Premium 37

## Professional Grade Vinyl Electrical Tape

ber 2017
o

## Description and Features

A 0,18 mm (7 mil) all weather, professional grade, pressure sensitive vinyl tape which applies easily and gives excellent performance over a wide range of temperatures. Cold and weather resistant. Flame retardant. Premium 111 can be used as primary insulation for splices up to 600 Volts. Use as protective outer jacket over splices and for all low temperature applications.

- · Cold and weather resistant
- Flame retardant
- · High dielectric strength
- · Highly elastic
- Highly conformable
- · High UV resistance
- · Highly resistant to sun, water, oil, acids, alkalies, corrosive chemicals
- Meets ASTM D-3005, Type I; EN 60454-3-1, Type 11; UL 510; CSA C 22.2 no. 197; Meets 2000/53/EC and RoHS 2011/65/EU directives

•	Ph	Cd	Ηа	Cr	(1/1)	free
•	гυ.	Ou.	i iu.	OI.	(VI)	1166

	<ul> <li>Pb, Cd, H</li> </ul>	g, Cr (VI) free					
Materials	Backing	Adhesive	Colors	Standard Size Width x Length			
	PVC Rubber based		Red, White, Blue, Yellow, Orange, Violet, Brown, Grey, Green	19 mm x 20 m (0.75 in. x 66 ft.) Other sizes available upon request			
<b>Technical Properties</b>	Characterist	ic	Specification	Typical Value	Test Method		
•	Thickness, (	mm)	0,18±0,025	0,175	<b>ASTM D 1000</b>		
	Breaking str	ength (N/cm)	26 min	30	ASTM D 1000		
	Elongation a	t break (%)	220 min	260	ASTM D 1000		
	•	steel (N/cm)	1,8 min	2,2	ASTM D 1000		
		backing (N/cm)	1,8 min	2,2	ASTM D 1000		
	Flammability	• ,	4 max	0	ASTM D 1000		
	Flagging (mi	,	3 max	0	ASTM D 1000		
	Temperature	e Rating (°C)					
	Maximum	- , ,	80	80	UL510		
			105	105	CSA C 22.2 no.197		
	Minimum		-10	-10	UL510		
			-18	-18	CSA C 22.2 no 197		
	Dielectric St	<b>U</b> ( )			ASTM D 1000		
	-Standard		7 min	8	ASTM D 1000		
	-Wet		90%	7,2	ASTM D 1000		
	Dielectric Co			3,2	ASTM D 150 ASTM D 1000		
		esistance (MΩ)	<u></u>	1x10 <sup>6</sup>			
Recommended Uses	Used for general splicing purposes. Can be used as primary insulation for splices up to 600 Vo Provide a protective outer jacket over splices for all low temperature applications. Can be used wrapping wire harnesses, and insulating degaussing coils.						
Storage	In original packaging, placed in horizontal position under cover and temperature between 5°C and 35 °C, 50-80% R.H.						
Shelf Life	60 months from	n date of manufactu	re.				

LIMITED WARRANTY: Plymouth warrants that its Product will substantially conform to that products written specifications for a period of one (1) year from the date of shipment, (Unless provided otherwise). Plymouth makes no warranty to the distributor, its customers, or the product's end user for the products merchantability and/or suitability for his/its intended use or purpose, and buyer shall assume all risks associated therewith. Provided that the product is proved to be defective within the terms described above, and provided buyer shall have first compiled with all return policies of Plymouth, PLYMOUTH'S SOLE OBLIGATION AND BUYER'S EXCLUSIVE REMEDY UNDER THIS PRODUCT WARRANTY SHALL BE TO REPLACE SUCH QUANTITY OF THE PRODUCT AS IS PROVED TO BE DEFECTIVE WITHIN THE TIME PERIOD SPECIFIED ABOVE. EXCEPT AS EXPRESSLY SET FORTH HEREIN, PLYMOUTH MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. In no event shall Plymouth be liable for collateral, consequential, indirect or incidental damages arising out of, or connected in any way with the supply of products. (Rev. 01/2017-2019)