


Data sheet

SmartConnect Patchpanel 16 ports MC module

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- empty module holder for receiving data, KOAX and fiber optic modules
- mounting type: module
- mounting on standard rail (TH35) or on support frame or mounting plate screwable
- consisting of 1 module holder made of bent sheet metal and 2 milled plastic brackets universally applicable for all variants
- mounting the plastic brackets on standard rail and perforated metal plate
- functional equipotential bonding acc. to DIN EN 50310 (VDE0800-2-310) with 2 screw fastenings via grounding screw M6x10 with nut and lock washer possible
- 1 labeling strip on module holder
- variants: 12, 16, 24 ports



SmartConnect Patchpanel 16 ports MC module

P/N

130927-1600-E

EAN 4251394635446

2022/07/14

Version: A

Technical Data

General Data

| | |
|-----------------------------------------------|--------------------------------------------|
| Fields of application | Distributed building services |
| Mechanical measurement according to MICE | M1 |
| Ingress measurement according to MICE | I1 |
| Climatic measurement according to MICE | C1 |
| Electromagnetic measurement according to MICE | E3 |
| Design | patch panel |
| Mounting style | standard rail TH35, perforated metal plate |
| Color | gray |
| Dimensions | |
| Dimension (L x W x H) | 338 mm x 53.5 mm x 53.5 mm |
| Dimension (L x W x H) | 13.307 in. x 2.106 in. x 2.106 in. |
| Weight | 287 g |
| Weight | 0.6327 lb |
| Modularity | yes |
| Labeling option | labeling strip on module holder |

Connections/interfaces

| | |
|--------------------------------------|------------------------------------------------|
| Number of ports interface 1 | 16 |
| Number of equipped ports interface 1 | 0 |
| Cable access/outlet | 45° upwards |
| Ground connection | grounding screw M6x10 with nut and lock washer |

Mechanical data

| | |
|---------|--------|
| Cut-out | module |
|---------|--------|

Materials and material properties

| | |
|---------------------|----------------------------------------------------------------------------------------|
| Material - Housing | aluminium-zinc sheet |
| Material - Mounting | PVC |
| Halogen free | yes |
| Silicone free | no paint wetting interfering substances (LaBS) in the process chain |
| LaBS Note | subsequent contamination possible due to handling and possible storage in your company |
| RoHS | compliant |

P | Cabling

Data sheet

Page 3/6

SmartConnect Patchpanel 16 ports MC module

P/N

130927-1600-E

EAN 4251394635446

2022/07/14

Version: A

Technical Data

Materials and material properties

| | |
|-------|-----------|
| REACH | compliant |
|-------|-----------|

Classifications

| | |
|----------|----------|
| ETIM 7.0 | EC002006 |
|----------|----------|

| | |
|----------|----------|
| ETIM 8.0 | EC002006 |
|----------|----------|

Packing details

| | |
|-------------------|-----------------------|
| Type of packaging | 1 pc(s) / plastic bag |
|-------------------|-----------------------|

| | |
|--------------------------------|-------|
| Packaging unit - Weight (gram) | 300 g |
|--------------------------------|-------|

| | |
|---------------------------------|---------|
| Packaging unit - Weight (pound) | 0.66 lb |
|---------------------------------|---------|

| | |
|---------------------|------------------------|
| Packaging dimension | 54 mm x 340 mm x 65 mm |
|---------------------|------------------------|

| | |
|---------------------|---------------------------------|
| Packaging dimension | 2.12 in. x 13.39 in. x 2.56 in. |
|---------------------|---------------------------------|

SmartConnect Patchpanel 16 ports MC module

P/N

130927-1600-E

EAN 4251394635446

2022/07/14

Version: A

Accessories

| P/N | Designation |
|----------------|----------------------------------------------------------|
| 1308450233-E | Patch cord Cat.6 _A AWG 26 0.2 m gray |
| 1308450333-E | Patch cord Cat.6 _A AWG 26 0.3 m gray |
| 1308450533-E | Patch cord Cat.6 _A AWG 26 0.5 m gray |
| 1308451033-E | Patch cord Cat.6 _A AWG 26 1.0 m gray |
| 13084V0300-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.3 m black |
| 13084V0333-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.3 m gray |
| 13084V0388-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.3 m white |
| 13084V0500-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.5 m black |
| 13084V0533-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.5 m gray |
| 13084V0588-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 0.5 m white |
| 13084V1000-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 1.0 m black |
| 13084V1033-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 1.0 m gray |
| 13084V1088-E | Patch cord Cat.6 Ultraflex500 VoIP AWG 26 1.0 m white |
| 130898-00-I | BLIND module light gray |
| 130898-00-RW-I | BLIND module pure white |
| 130898-01-I | COAX modul F jack / F jack |
| 130898-02-I | COAX modul IEC jack / F jack |
| 130898-03-I | COAX modul IEC plug / F jack |
| 130908-I-B1 | UAE modul Cat.5e white |
| 130909-I | UAE modul Cat.6 jack T568A white |
| 130910-I | E-DAT modul Cat.6 _A 8(8) jack, T568A |
| 130910-I-B1 | E-DAT modul Cat.6 _A 8(8) jack, T568B |
| 130910-Z | E-DAT modul Cat.6 _A 8(8) jack, T568A (12 pcs) |
| 1309A0-I | E-DAT modul coupler 8(8) 180° class E _A |
| 130A11-29-I | UAE modul 8(8) Cat.6 _A black |
| 130A11-I | UAE modul 8(8) Cat.6 _A white |
| 130B11-25-E | 25Gmodul |

P | Cabling

Data sheet

Page 5/6

SmartConnect Patchpanel 16 ports MC module

P/N

130927-1600-E

EAN 4251394635446

2022/07/14

Version: A

Accessories

| | |
|-------------|--------------------------------------------|
| 130B11-25-Z | 25Gmodul (12 pcs) |
| 130B11-E | C6 _A modul 180° jack |
| 130B11-Z | C6 _A modul 180° jack (12 pcs) |
| 15091001-I | OpDAT modul ST (ceramic, light gray) SM |
| 15091071-I | OpDAT modul LC-D (ceramic, blue) SM |
| 15091072-I | OpDAT modul LC-D (ceramic, aqua) MM |
| 15091075-I | OpDAT modul LC-D (ceramic, violet) MM |
| 15091076-I | OpDAT modul LC-D APC (ceramic, green) SM |
| 1509107B-I | OpDAT modul LC-D (ceramic, beige) MM |
| 1509107M-I | OpDAT modul LC-D (ceramic, lime green) OM5 |

P | Cabling

Data sheet

Page 6/6

SmartConnect Patchpanel 16 ports MC module

P/N

130927-1600-E

EAN 4251394635446

2022/07/14

Version: A

Illustrations

Dimensional drawing

