


TECHNICAL DATA SHEET

Part#: 530E-5-USL-060

Cutters - Standoff Shear Small Frame - .060" Standoff - Narrow Jaw
Reduces shock on delicate components and solder connections. Long ergonomic cushioned ESD safe handle.

The 530E-5-USL-060 6" narrow anti-shock shear cutter reduces shock on delicate components and solder connections. The "Stand-Off" keeps the cutting blade from cutting into the solder connections. The tip width is .090". It's recommended cutting capacity is 22 AWG (.25" soft wire). It features a soft cushioned ergonomic Anti-Static grip (10^{10} ohms/sq surface resistivity) with dual leaf springs.

- Precision Level ★★★★★
- Material Carbon
- Surface Resistivity 10^{10} ohms/sq
- Shape Straight
- Type of Cut Shear
- Cutting Capacity .025"
- Blade Angle .095"
- Blade Length .095"
- Body Width 0.42" (10.5mm)
- Body Height 6" (150mm)
- OAL 6.2
- Weight (OZ) 6.2
- UPC 662847013270
- Schedule B 8203.20.60.30
- ECCN EAR99
- UNSPSC Code 27111511
- Country of Origin USA
- Group Small Frame



EXCELTA
CORPORATION

530E-5-USL
Anti-Shock, Standoff
Shear Cutter-Long Handle

A= .640"
B= .100"
C= .095"