

TT130SMC Compact Thermal Transfer Printer

Designed with space and portability in mind, the TT130SMC thermal transfer printer's compact footprint allows for highly efficient printing in applications in which space is tight or when portability is important. The smaller size and optional hard-shell carrying case make it easy to transport to remote job sites. The printer accommodates label roll stock up to 2" wide, to satisfy many industrial labeling requirements- especially useful in data center and solar installation applications. The TT130SMC includes an Ethernet port that allows the user to connect to an existing network or to a wireless router for portable printing. For ultimate print efficiency and workflow management, users can connect several TT130SMC printers together and use TagPrint® Pro label software or a TagPrint® Xpress mobile application to create a multiple printer network. TT130SMC Kits also come with a label "caddy" to hold larger label rolls. The carrying case includes space for two printers, as well as a wireless router, cables and label stock.



TT130SMCKIT

| Material Data | |
|-----------------------|--|
| Dimensions of Printer | Width - 5.50" (140 mm) Height - 6.98" (177 mm) Depth - 11.0" (241 mm) |
| Weight | 5.6 lbs (2.54 kg) |
| Power Supply | 100-240V Output: DC 24V 2.5A |
| Operation Temperature | +50F to +95F (+10C to +35C) |
| Print Density | 300 dpi |
| Media Diameter | Total diameter - 8.27" (210 mm) Core diameter - 3.0" (76.2 mm) Winding direction - Inside or outside |
| Material Thickness | .0028" - .007" (.06 mm - .19 mm) |
| Operating System | Windows 2000 / XP / Vista / 7 / 8 |

| Product Selection | | | | |
|-------------------|-----------|----------------|-------------------------------------|----------|
| Article No. | Part No. | Type | Description | Pkg. Qty |
| 556-00250 | 556-00250 | TT130SMC | TT130SMC Printer with Cutter | 1 |
| 556-00254 | 556-00254 | TT130SMCKIT | TT130SMC Printer Kit* | 1 |
| 556-00257 | 556-00257 | 2TT130SMCKIT | 2 Printer TT130SMC Printer Kit** | 1 |
| 556-00251 | 556-00251 | TT130RPHEAD | TT130SMC Print Head | 1 |
| 556-00252 | 556-00252 | TT130PWRSLY | TT130SMC Replacement Power Supply | 1 |
| 556-00255 | 556-00255 | TT130SMCCORD | TT130SMC Replacement Power Cord | 1 |
| 556-00253 | 556-00253 | TT130SMCCASE | Optional Carrying Case | 1 |
| 556-00235 | 556-00235 | Label Holder | Replacement Label Holder | 1 |
| 556-00205 | 556-00205 | TTWHITEOUTSM-2 | White Ribbon 2" X 154', 1/RL | 1 |
| 556-00206 | 556-00206 | TT822OUTSM-2 | TT822 Black Ribbon 2" X 242', 1/RL | 1 |
| 556-00212 | 556-00212 | TT100OUTSM-2 | TT100 Black Ribbon, 2" x 242', 1/RL | 1 |

*Includes the TT130SMC printer with cutter, TagPrint® Pro 3.0 software, black and white ribbon, caddy and hard-shell carrying case.

**Includes two (2) TT130SMC printers with cutter, TagPrint Pro 3.0 software, (2) black ribbons, (2) white ribbons, (2) caddies and (1) hard-shell carrying case.

Use Part No. for ordering and Type for specification.

Features & Benefits

- Lightweight, compact design makes it easy to transport to remote job sites
- Connect several printers together for ultimate printing efficiency
- 300 dpi print head for quality print results
- Fast print speed up to 3" (76mm) / second
- Easy to set up and load
- Label caddy holds larger rolls
- Highly accurate sensor reduces label waste
- Includes USB 2.0 port and Ethernet port for connection to network or wireless router
- 4mb flash / 8mb SDRAM
- Approvals; CE, FCC, Class A, cULus, UL, GS, TUV-GS, LCC, C-Tick, BSMI, RoHS

Printing Specifications

- Prints on media up to 2" (50.8 mm) wide
- Uses 1/2" core HellermannTyton ribbons
- Maximum print width - 2.13" (54.1 mm)
- Minimum print width - .59" (15.0 mm)

Thermal Transfer Printers

TT130SMC Printer Compatible Labels

| Product Selection | | | | | | | | |
|---|-----------|------------|--|----------------|-----------------|--------------------------------|-----------|-----------------|
| Article No. | Part No. | Type | Description | Width in. (mm) | Height in. (mm) | Printable Area Height in. (mm) | Pkg. Qty. | Labels Per Roll |
| ONE ACROSS PRINTABLE SOLAR INSTALLATION LABELS | | | | | | | | |
| 596-00650 | 596-00650 | ACDISC-1 | Printable Solar Label, PHOTOVOLTAIC AC DISCONNECT, Red | 1 (25.4) | 3.75 (95.25) | N/A | 1 | 50 |
| 596-00651 | 596-00651 | DCDISC-1 | Printable Solar Label, PHOTOVOLTAIC DC DISCONNECT, Red | 1 (25.4) | 3.75 (95.25) | N/A | 1 | 50 |
| 596-00652 | 596-00652 | PVACDIS-1 | Printable Solar Label, PV AC RATING LABEL, Red | 1 (25.4) | 3.75 (95.25) | N/A | 1 | 50 |
| 596-00655 | 596-00655 | AC2011-1 | Printable Solar Label, AC MODULE LABEL, Red | 2 (50.8) | 4 (101.6) | N/A | 1 | 50 |
| 596-00653 | 596-00653 | DC2011-1 | Printable Solar Label, DC MODULE LABEL, Red | 2 (50.8) | 4 (101.6) | N/A | 1 | 50 |
| 596-00654 | 596-00654 | DCRATING-1 | Printable Solar Label, DC RATING LABEL, Red | 2 (50.8) | 3.75 (95.25) | N/A | 1 | 50 |
| 596-00242 | 596-00242 | LAM1 | Laminate for AC/DC Rating Labels | 4.2 (106.6) | 2.25 (57.15) | N/A | 1 | 50 |

| Article No. | Part No. | Type | Description | Width in. (mm) | Length ft. (m) | Printable Area Height in. (mm) | Pkg. Qty. | Labels Per Roll |
|-------------------------------|-----------|------------|---|----------------|----------------|--------------------------------|-----------|-----------------|
| CONTINUOUS VINYL ROLLS | | | | | | | | |
| 558-00309 | 558-00309 | HT1WH250 | White Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00313 | 558-00313 | HT2WH250 | White Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00340 | 558-00340 | HT1GN250 | Green Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00342 | 558-00342 | HT2GN250 | Green Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00336 | 558-00336 | HT1OE250 | Orange Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00337 | 558-00337 | HT2OE250 | Orange Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00339 | 558-00339 | HT1BU250 | Blue Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00341 | 558-00341 | HT2BU250 | Blue Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00310 | 558-00310 | HT1YE250 | Yellow Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00314 | 558-00314 | HT2YE250 | Yellow Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00308 | 558-00308 | HT1RD250 | Red Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00312 | 558-00312 | HT2RD250 | Red Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00307 | 558-00307 | HT1BK250 | Black Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00311 | 558-00311 | HT2BK250 | Black Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |
| 558-00377 | 558-00377 | HT1RDRF250 | Red Reflective Vinyl on Continuous Roll | 1 (25.4) | 250 (76) | N/A | 1 | N/A |
| 558-00372 | 558-00372 | HT2RDRF250 | Red Reflective Vinyl on Continuous Roll | 2 (50.8) | 250 (76) | N/A | 1 | N/A |

| CONTINUOUS POLYETHYLENE ROLLS FOR EQUIPMENT MARKING | | | | | | | | |
|--|-----------|--------|---|-------------|------------|-----|---|-----|
| 596-00624 | 596-00624 | TBL275 | Continuous Solid Color Polyethylene Roll, White | .275 (6.99) | 100 (30.5) | N/A | 1 | N/A |
| 596-00380 | 596-00380 | TBL375 | Continuous Solid Color Polyethylene Roll, White | .375 (9.53) | 100 (30.5) | N/A | 1 | N/A |
| 596-00381 | 596-00381 | TBL500 | Continuous Solid Color Polyethylene Roll, White | .50 (12.70) | 100 (30.5) | N/A | 1 | N/A |

Use Part No. for ordering and Type for specification.

TT130SMC Printer Compatible Labels

| Product Selection | | | | | | | | |
|---|--------------|---------|---|-------------------|--------------------|---|--------------|-----------------------|
| Article No. | Part No. | Type | Description | Width in. (mm) | Length in. (mm) | Printable Area Height in. (mm) | Pkg. Qty. | Labels Per Roll |
| SELF-LAMINATING VINYL LABELS FOR WIRE AND CABLE IDENTIFICATION | | | | | | | | |
| 596-00625 | TAG2T1-100B | TAG2T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | .50 (12.7) | 1.43 (36.32) | .50 (12.7) | 1 | 1000 |
| 596-00626 | TAG22T1-100B | TAG22T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 1 (25.4) | 1.43 (36.32) | .50 (12.7) | 1 | 1000 |
| 596-00627 | TAG9T1-100B | TAG9T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 1 (25.4) | 2.25 (57.15) | .75 (19.05) | 1 | 1000 |
| 596-00628 | TAG51T1-100B | TAG51T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 1 (25.4) | .75 (19.05) | .35 (8.89) | 1 | 1000 |
| 596-00629 | TAG26T1-100B | TAG26T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | .50 (12.7) | .75 (19.05) | .375 (9.53) | 1 | 1000 |
| 596-00630 | TAG53T1-100B | TAG53T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 1.5 (38.1) | 1.43 (36.32) | .70 (17.78) | 1 | 1000 |
| 596-00631 | TAG3T1-100B | TAG3T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 1 (25.4) | 3.75 (95.25) | 1.0 (25.40) | 1 | 1000 |
| 596-00006 | TAG22T2-100B | TAG22T2 | Thermal Transfer Self-Laminating Label, Two Across, Vinyl, White | 1 (25.4) | 1.43 (36.32) | .50 (12.70) | 1 | 5000 |
| 596-00008 | TAG24T1-100B | TAG24T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 2 (50.8) | 1.43 (36.32) | .50 (12.70) | 1 | 1000 |
| 596-00016 | TAG6T1-100B | TAG6T1 | Thermal Transfer Self-Laminating Label, One Across, Vinyl, White | 2 (50.8) | 3.75 (95.25) | 1.5 (38.10) | 1 | 1000 |
| THERMAL TRANSFER LABELS | | | | | | | | |
| Article No. | Part No. | Type | Description | Width in. (mm) | Height in. (mm) | Printable Area Height in. (mm) | Pkg. Qty. | Labels Per Roll |
| 596-00026 | TAG96T1-336 | TAG96T1 | Thermal Transfer Label, 1 Across, Polyester, White | 1.875 (47.63) | .25 (6.35) | N/A | 1 | 5000 |
| 596-00041 | TAG69T1-336 | TAG69T1 | Thermal Transfer Label, 1 Across, Polyester, White | 2 (50.8) | .275 (6.99) | N/A | 1 | 10000 |
| 596-27822 | TAG27T1-822 | TAG27T1 | Thermal Transfer Label, 1 Across, Polyester, White | 1.5 (38.1) | .75 (19.05) | N/A | 1 | 3000 |
| 596-27795 | TAG27T1-795 | TAG27T1 | Thermal Transfer Label, 1 Across, Polyester, Silver | 1.5 (38.1) | .75 (19.05) | N/A | 1 | 3000 |
| 596-00019 | TAG75T1-822 | TAG75T1 | Thermal Transfer Label, 1 Across, Polyester, White | 2 (50.8) | .625 (15.88) | N/A | 1 | 2000 |
| 596-75795 | TAG75T1-795 | TAG75T1 | Thermal Transfer Label, 1 Across, Polyester, Silver | 2 (50.8) | .625 (15.88) | N/A | 1 | 2000 |
| 596-73822 | TAG73T1-822 | TAG73T1 | Thermal Transfer Label, 1 Across, Polyester, White | 2 (50.8) | 1 (25.4) | N/A | 1 | 3000 |
| 596-73795 | TAG73T1-795 | TAG73T1 | Thermal Transfer Label, 1 Across, Polyester, Silver | 2 (50.8) | 1 (25.4) | N/A | 1 | 3000 |

Use Part No. for ordering and Type for specification.

Located in over 34 countries, HellermannTyton brings the best to its customers through global resources channeled to local implementations. Flexibility, agility, and ability to create value-added, market driven solutions are the hallmarks of every HellermannTyton company across the world.



ARGENTINA | AUSTRALIA | AUSTRIA | BELGIUM | BRAZIL | CANADA | CHINA
CZECH REPUBLIC | DENMARK | FINLAND | FRANCE | GERMANY | HONG KONG
HUNGARY | IRELAND | ITALY | JAPAN | KOREA | MEXICO | NETHERLANDS | NORWAY | PHILIPPINES
POLAND | PORTUGAL | ROMANIA | RUSSIAN FEDERATION | SINGAPORE | SLOVENIA | SOUTH AFRICA |
SPAIN | SWEDEN | THAILAND | UNITED KINGDOM | UNITED STATES

HellermannTyton

HellermannTyton North American Corporate Headquarters

7930 N. Faulkner Rd, PO Box 245017
Milwaukee, WI 53224-9517
Phone: (414) 355-1130, (800) 537-1512
Fax: (414) 355-7341, (800) 848-9866
email: corp@htamericas.com
www.hellermann.tyton.com

TS16949, ISO 9001, and ISO 14001 certified

HellermannTyton Canada

Unit #4, 205 Industrial Parkway North
Aurora, Ontario L4G 4C4 Canada
Phone: (800) 661-2461
Fax: (800) 390-3904
email: sales@hellermanntyton.ca

HellermannTyton Mexico

Anillo Periferico Sur 7980 Edificio 6A
Parque Industrial Tecnologico II
Santa María Tequepexpan
Tlaquepaque, Jalisco, Mexico 45601
Phone: 011-52-33-3-133-9880
Fax: 011-52-33-3-133-9861
email: info@htamericas.com.mx

ISO 9001 certified

Warranty Policy

HellermannTyton products are warranted to be free from defects in material and workmanship at the time sold by us; but our obligation under this warranty and that of the seller is limited to the replacement of the product, and neither we nor the seller are bound by any other warranty, expressed, implied or statutory. Under no circumstances are we or the seller liable for any loss, damage, expenses or consequential damages of any kind arising out of the use or inability to use these products. All are sold with the understanding that the user will test them in actual use and determine their adaptability for the intended uses.